

eLOG

# Home Delivery Crates



## Innovative & Reusable Crates For Online Shopping

[www.eLOG-group.com](http://www.eLOG-group.com)

We offer a full logistic solution cycle that will support your entire home delivery operation system with designated reusable crates designed especially for the Home Shopping industry.

We at Polymer Logistics believe in the future of online shopping and fulfillment industry. Our products actively encourage home shopping by making fulfillment and delivery a synch. We do all we can to allow consumers to effortlessly shop from the privacy of their home.



## Home Delivery Crates Technical Details



Cat. No. **6425 Nestable**



Cat. No. **6428 Nestable**



Cat. No. **6430 Nestable**



Cat. No. **6428 AL Foldable**



Cat. No. **6432 Nestable**



Cat. No. **6436-S Nestable**



Cat. No. **6436-P Nestable**



Cat. No. **6425-S Nestable**

Cat. Number	6425	6428	6430	6428AL
Length (mm)	600	600	600	600
Internal length (mm)	576	573	570	572
Width (mm)	400	400	400	400
Internal width (mm)	377	374	373	372
Total height (mm)	252	288	300	287
Usable height under bars (mm)	228	263	272	278
Capacity	45L	52L	54L	59L
Stacking height (mm)	+242	+278	+286	+281
Nesting height (mm)	+65	+56	+98	+55
Non-spill volume	1.5L	2L	2L	Open Floor
Total weight	1.55kg	1.9kg	2kg	2.5kg
Maximum crate load	15kg	18kg	21kg	24kg
Maximum crates in column	7	7	7	8
Base type	Solid	Solid	Solid\Perforated	Perforated
Bag hooks	YES	YES	YES	NO
Reinforced base	NO	YES	NO/YES	NO
Solid walls	NO	NO	NO/YES	NO

\*Available in your choice of color

**Extra features:** • Bag hooks • One time sticker • RF sticker • Card holder • Customer logo

Cat. Number	6432	6436-S	6436-P	6425-S
Length (mm)	600	600	600	600
Internal length (mm)	570	570	570	575
Width (mm)	400	400	400	400
Internal width (mm)	373	373	373	376
Total height (mm)	320	360	360	250
Usable height under bars (mm)	306	346	346	235
Capacity	60L	65L	65L	48L
Stacking height (mm)	+316.5	+351	+351	+241
Nesting height (mm)	+110	+110	+110	+65
Non-spill volume	7L	7L	Open floor	1.7L
Total weight	2.41kg	2.5kg	2.5kg	1.9kg
Maximum crate load	35kg	35kg	35kg	20kg
Maximum crates in column	6	6	6	9
Base type	Solid	Solid	Perforated	Solid
Bag hooks	NO	YES	YES	YES
Reinforced base	YES	YES\NO	YES\NO	NO
Solid walls	NO	NO	NO	NO

\*Available in your choice of color

**Extra features:** • Bag hooks • One time sticker • RF sticker • Card holder • Customer logo

**NEW:**  
Optional - divider inside the crate  
Valid for 6432, 6436, 6428





- User Responsibility: It is the responsibility of all users and hires to inform any other users concerning the details provided on this specifications sheet and the Polymer Logistics Health & Safety Guidelines. Users are responsible for completing Safe System Work and risk assessments prior to equipment use.



PolymerLogistics & eLog reserves the right to change any of the aboved mentioned specifictions without prior notice.  
user responsibility: It is the responsibility of all users and hiers to inform any other user concerning the details provided on this specifications sheet and the PolymerLogistics & eLog Health & safety Guidelines. Users are responsible for completing Safe System Work and risk assessment prior to equipment use.